

**ST. TAMMANY PARISH SCHOOL BOARD  
COVINGTON, LOUISIANA**

The St. Tammany Parish School Board will receive sealed bids until 2:00 p.m., Friday, February 10, 2023, on Library Furniture for Little Oak Middle School, in accordance with the following instructions and attached specifications.

\* \* \* \* \*

1. Bids shall be submitted on the attached bid form. All conventional paper bids shall be either hand delivered or sent by registered or certified mail, UPS or FedEx with a return receipt requested to the St. Tammany Parish School Board Office, 321 N. Theard Street, Covington, Louisiana 70433, in a sealed envelope clearly marked on the outside "BID #1824 ON LIBRARY FURNITURE FOR LITTLE OAK MIDDLE SCHOOL – FEBRUARY 10, 2023." All bids arriving after this date and hour will be returned unopened to the bidders. No bid may be withdrawn for at least thirty (30) days after the scheduled closing time for receipt of bids.

2. Bids may also be submitted electronically. Please find bid related materials and place electronic bids at [www.centralbidding.com](http://www.centralbidding.com).

3. For an appointment to visit the work site, contact Cameron Tipton, Lead Construction Supervisor, (985) 898-3291. A drawing of the school library with Furniture Tags and Item #'s indicating furniture placement is enclosed for your reference (see attachment #1).

4. All bids shall include a unit price and total price of manufacturing, packing, prepaid delivery to school, unloading and storing where directed by the Owner within the library, uncrating, assembling, final placing, installing as per manufacturer's instructions, and removal of all debris from the premises.

5. Sales Tax IS NOT to be included in your bid price. St. Tammany Parish School Board is exempt from sales tax as provided by LA R.S. 47:301(8)(c). Sales tax exemption only applies to purchases between St. Tammany Parish School Board and the contractor/vendor. Sales tax exemption does not apply to purchases made directly by the contractor/vendor to other companies on behalf of the school board. Those purchase are not sales tax exempt.

6. ALL BIDS SHALL BE ACCOMPANIED BY AN ORIGINAL, FULLY EXECUTED BID BOND, CERTIFIED/OFFICIAL CHECK, CASHIER'S CHECK OR MONEY ORDER IN THE AMOUNT OF FIVE PERCENT (5%) OF THE TOTAL AMOUNT OF THE BID. BIDS WILL NOT BE CONSIDERED UNLESS THE REQUIRED BID BOND OR CHECK IS ATTACHED.

7. If submitting a bid electronically, then bid security must be in the form of an original, valid fully executed bid bond and be included in your bid submittal. STPSB must be able to verify the validity of the bond within 72 hours. If bonding company cannot validate within this timeframe, bid may be awarded to next lowest responsive bidder. Cashier's check, certified check or money order will not be accepted for an electronic bid. Failure to comply will cause your bid to be non-responsive.

8. A Performance Bond in the total amount of the contract will be required from the successful bidder if the total cost of the order exceeds \$1,000.00 and cannot be delivered within a fourteen (14) day period.

9. The School Board reserves the right to obtain clarification of a vendor's bid or to obtain additional information necessary to properly evaluate their bid. Failure to a vendor to respond, within forty-eight 48 hours, to such a request for additional information or clarification may result in rejection of the vendor's bid.

10. Bid award will be awarded on an "ALL or NONE" basis for items 1-7; For items 8-12, bid will be awarded on an "ITEM by ITEM" basis.

11. Color samples and/or swatches for plastics, casegoods, seating, frame, file & storage, powder coat, edge treatments, lounge units, plastic/upholstery high pressure laminate tops and steel shelves must be included as part of your bid. Bids will not be considered if color samples and/or swatches is not included with bid. Sample(s) may be required and must be delivered within 10 days of request.

12. Brand name(s) are given for purposes of identification and to denote the standard of quality desired, and do not in any way, restrict bidders to a specific make and manufacturer. Manufacturer descriptive literature to be provided with the bid if an item is offered as an equal to the brand name specified. Descriptive literature with the bid item number and model/item number must be marked/labeled on each sheet for identification purposes. If bidding other than as specified, deviations from specifications must be stated on your bid form.

13. Details of warranty shall be included as part of your bid.

14. Damage to the existing building or equipment caused by the work under this contract shall be repaired or replaced by new materials to original conditions as approved by the Owner.

15. A lump sum payment will be paid to the successful bidder after 100% job completion. The St. Tammany Parish School Board reserves the right to withhold payment because of damage or improperly installed furniture or equipment.

16. The successful bidder(s) shall furnish a Certificate of Insurance within fifteen (15) calendar days after award of bid but prior to delivery of merchandise.  
Certificate should provide for:

- a. Comprehensive General Liability - \$1,000,000.00 combined single limit. Coverage to include premises, operations, contractor's protective liability, products and completed operation, contractual liability.
- b. Comprehensive General Automobile Liability Insurance with minimum limits of Bodily Injury – Each Person \$1,000,000.00, Bodily Injury – Each Occurrence \$1,000,000.00, Property Damage – Each Occurrence \$1,000,000.00. Coverage shall be written to include all owned, non-owned and hired vehicles.
- c. Workers Compensation – State of Louisiana, Employer's Liability, Statutory requirements \$1,000,000.00.

17. Cash discounts, if offered, will be taken into consideration in determining the low bidder. DISCOUNTS LESS THAN THIRTY (30) DAYS WILL NOT BE CONSIDERED IN MAKING AN AWARD. Beginning date for discount period shall be determined by date of invoice or date of delivery of merchandise whichever occurs last.

18. Successful bidder must consent to and yield to the exclusive venue and jurisdiction of the 22<sup>nd</sup> Judicial District Court for the Parish of St. Tammany, and waive any and all claims of entitlement to removal of any case from this jurisdiction, including any removal to any Federal Court, in connection with any proposal or bid.

19. It is the intent of the specifications to invite bids on high quality merchandise. Mentioning a brand, manufacturer and number is done only to establish the standard of quality desired. It is not the intent to eliminate brands of equal quality but instead to set forth and convey to prospective bidders the general style, type, character, and quality of the product desired.

20. The School Board reserves the right to select a higher priced item where, in the judgment of the School Board, such item is of superior quality or design or would be more suitable for the purpose intended. The School Board further reserves the right to adjust quantities by increasing or decreasing and to reject any and all bids.

21. In accordance with LA Revised Statute 38:2252, "Preference is hereby given to materials, supplies and provisions, produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside of the state." As a bidder you must indicate on your bid response that you are claiming a preference.

22. Questions concerning bid submittal can be emailed to Purchasing Department @ [purchasing@stpsb.org](mailto:purchasing@stpsb.org).



FRANK J. JABBIA  
Superintendent

**ST. TAMMANY PARISH SCHOOL BOARD  
COVINGTON, LOUISIANA**

**SPECIFICATIONS AND BID FORM ON  
LIBRARY FURNITURE FOR LITTLE OAK MIDDLE SCHOOL**

**BOOKSTORAGE:**

700 Series Files Bookcase shell features a flush inner liner. The liner is punched to accept shelf brackets on 1" increments starting approximately 8" from the bottom of the cabinet and terminating approximately 8" from the top of the cabinet. The liners, top and bottom reinforcements are welded into a rigid box frame. The shell is constructed from 18-gauge and 20-gauge steel, with multiple strategically-located offsets to maximize strength. The back is seamless. All corners are reinforced. Shelves are constructed using 22-gauge steel, formed  $\frac{7}{8}$ " thick on the leading and trailing edges to enhance strength and easily adjustable on 1" increments. Bookcase is supplied with four (4) adjustable glides. Glides can be adjusted from inside the bookcase using a  $\frac{1}{4}$ " hex socket wrench. Prior to painting, items are iron phosphate treated. Powder coat application is a highbred epox. The paint is baked on to provide a scratch and stain resistant surface. Warranty: Lifetime for 700 Series Storage and 15-year on Glides; Manufacturers to be KI, or equal.

Ruckus Bookcase (or equal) with shelves shall consist of steel bottom, sides, back, uprights, with laminated wood top. The laminate work surfaces are  $1\frac{1}{4}$ " thick and consist of a particleboard core with a HPL surface. 74P (2 mm PVC-free) banding is applied to the edges. All tops are pre-drilled for mounting of end panels, center panel(s), center dividers and are assembled in the factory. Inside double-face units, a center divider is screw mounted in each section to separate the front and back sides. This is constructed of 20-gauge material with  $\frac{3}{4}$ " side flanges for mounting. The divider is a structural component, and has the security feature that it is not removable from any single storage component. Each 1" thick vertical panel features double-wall steel construction. The outer vertical panel consists of 20-gauge material with double flanges formed on both vertical edges and single flanges formed on the top and bottom. The vertical edges of the outer panel have an 18-gauge reinforcing member welded in place to provide structural integrity. The inner vertical panel is 18-gauge with double flanges formed on the vertical edges and single flanges formed on the top and bottom edges. The outer and inner panels are spot welded together, as well as fastened together at the bottom with the threaded inserts that accept mounting bolt for the base. All panel bottoms are mounted on one common steel base. The base is  $1\frac{1}{8}$ " thick and ties together the vertical panels creating the bottom and complete structure. Bases are 18-gauge steel and contains an 18-gauge reinforcement strip on the front and back side of the base bottom. Each strip consists of two (2)  $\frac{1}{2}$ " weld nuts on each end to accept the caster. Casters have a  $\frac{1}{2}$ " diameter threaded stud to mount to the bottom of the base and are interchangeable. All caster bodies are twin-wheel hooded design with  $2\frac{3}{4}$ " diameter wheels. All four casters swivel and two casters will lock. Casters will be black. Two (2) fixed shelves are  $\frac{3}{4}$ " thick with flanges, front and back, constructed of 22-gauge material. Each shelf is screw mounted in four places with #10 screws into the outer panel and center panel to create separation between modules; Warranty: 15-years on Ruckus storage; 15-year on all HPL Laminate material; 15-year on Casters; Manufacturers to be KI, or equal.

**NOTE:**

Color samples and/or swatches for plastics, case goods, seating, frame, file & storage, powder coat, edge treatments, lounge units, plastic/upholstery high pressure laminate tops and steel shelves **must be** included as part of your bid. Bids **will not be** considered if color samples and/or swatches is not included with bid. Sample(s) may be required and must be delivered within 10 days of request.

1. One (1) range to consist of eight (8) Ruckus single faced 42"H bookcase w/shelves or equal, three (3) compartments per side (3 total), four (4) black casters field installed, two (2) fixed shelves, Unit ships assembled, (TAG BC-3 on attachment)

Tag #	Quantity	Part Number	Part Description & Modifications (if applicable)
BC-3	8	RKB361842	Single sided storage w/shelves, 42"H X 18"D X 36"W.

NAME BRAND: \_\_\_\_\_

MODEL NUMBER: \_\_\_\_\_

UNIT PRICE: \_\_\_\_\_ TOTAL PRICE: \_\_\_\_\_

WARRANTY TERMS: \_\_\_\_\_

2. One (1) range to consist of twelve (12) Ruckus single faced 42"H bookcase w/shelves or equal, three (3) compartments per side (3 total), four (4) black casters field installed, two (2) fixed shelves, Unit ships assembled, (TAG BC-3 on attachment)

Tag #	Quantity	Part Number	Part Description & Modifications (if applicable)
BC-3	12	RKB361842	Single sided storage w/shelves, 42"H X 18"D X 36"W.

NAME BRAND: \_\_\_\_\_

MODEL NUMBER: \_\_\_\_\_

UNIT PRICE: \_\_\_\_\_ TOTAL PRICE: \_\_\_\_\_

WARRANTY TERMS: \_\_\_\_\_

3. Four (4) ranges to consist of three (3) Ruckus Double Faced 42"H bookcase w/shelves or equal, three (3) compartments per side (6 total), four (4) black casters field installed, two (2) fixed shelves, Unit ships assembled, (TAG BC-3 on attachment)

Tag #	Quantity	Part Number	Part Description & Modifications (if applicable)
BC-4	12	RKB362442	Double sided storage w/shelves, 42"H X 24"D X 36"W.

NAME BRAND: \_\_\_\_\_

MODEL NUMBER: \_\_\_\_\_

UNIT PRICE: \_\_\_\_\_ TOTAL PRICE: \_\_\_\_\_

WARRANTY TERMS: \_\_\_\_\_

4. One (1) range to consist of twelve (12) Ruckus single faced 42"H bookcase w/shelves or equal, three (3) compartments per side (3 total), four (4) black casters field installed, two (2) fixed shelves, Unit ships assembled, (TAG BC-3 on attachment)

Tag #	Quantity	Part Number	Part Description & Modifications (if applicable)
BC-3	12	RKB361842	Single sided storage w/shelves, 42"H X 18"D X 36"W.

NAME BRAND: \_\_\_\_\_

MODEL NUMBER: \_\_\_\_\_

UNIT PRICE: \_\_\_\_\_ TOTAL PRICE: \_\_\_\_\_

WARRANTY TERMS: \_\_\_\_\_

5. Perimeter/Wall shelving One (1) range to consist of four (4) 700 Series Metal Bookcase or equal, there are to be four (4) adjustable book stop shelves. (TAG BC-1 & BC-2 on attachment)

Tag #	Quantity	Part Number	Part Description & Modifications (if applicable)
BC-1	1	S7B/3063015	Metal bookcase w/adjustable shelves, 66"H X 15"D X 30"W
BC-2	3	S7B/3663015	Metal bookcase w/adjustable shelves, 66"H X 15"D X 36"W

NAME BRAND: \_\_\_\_\_

MODEL NUMBER: \_\_\_\_\_

UNIT PRICE: \_\_\_\_\_ UNIT PRICE: \_\_\_\_\_ TOTAL PRICE: \_\_\_\_\_

WARRANTY TERMS: \_\_\_\_\_

6. Perimeter/Wall shelving One (1) range to consist of four (4) 700 Series Metal Bookcase or equal, there are to be four (4) adjustable book stop shelves. (TAG BC-2 on attachment)

Tag #	Quantity	Part Number	Part Description & Modifications (if applicable)
BC-2	4	S7B/3663015	Metal bookcase w/adjustable shelves, 66"H X 15"D X 36"W

NAME BRAND: \_\_\_\_\_

MODEL NUMBER: \_\_\_\_\_

UNIT PRICE: \_\_\_\_\_ TOTAL PRICE: \_\_\_\_\_

WARRANTY TERMS: \_\_\_\_\_

7. Perimeter/Wall shelving One (1) range to consist of two (2) 700 Series Metal Bookcase or equal, there are to be four (4) adjustable book stop shelves. (TAG BC-2 on attachment)

Tag #	Quantity	Part Number	Part Description & Modifications (if applicable)
BC-2	2	S7B/3663015	Metal bookcase w/adjustable shelves, 66"H X 15"D X 36"W

NAME BRAND: \_\_\_\_\_

MODEL NUMBER: \_\_\_\_\_

UNIT PRICE: \_\_\_\_\_ TOTAL PRICE: \_\_\_\_\_

WARRANTY TERMS: \_\_\_\_\_

8. Perimeter/wall computer station, one (1) Doni tapered steel leg, solid color, armless guest chair or equal, backrest and seat are injection-molded polypropylene and joined by a pair of articulation mechanisms, steel legs are equipped with felt glides; and one (1) Toggle T-Leg Table, Rectangle, Dual Motor Electric Base or equal, tabletop is constructed with 1 1/8" thick 45 lb. density particleboard core, top surface is covered with high-pressure laminate with 74P edge, table consists of two (2) adjustable height T-bases, standard control box with integrated two button controller. Code compliance: BIFMA & TB 117-2013; Warranty: 15-year on Glides & 10-year on tapered guest chair & Toggle- Height adjustable table; Manufacturers to be KI, or equal. (TAG CH-1 & T-3 on attachment)

Tag #	Quantity	Part Number	Part Description & Modifications (if applicable)
CH-1	1	DNY100	Tapered Steel, Armless, felt glides, Poly, Solid color
T-3	1	TOGL2448EL-74P	23-1/2X46-1/2", No modesty panel, electrically adjustable

NAME BRAND: \_\_\_\_\_

MODEL NUMBER: \_\_\_\_\_

UNIT PRICE: \_\_\_\_\_ UNIT PRICE: \_\_\_\_\_ TOTAL PRICE: \_\_\_\_\_

WARRANTY TERMS: \_\_\_\_\_

9. Aristotle Classic Main Circulation Desk or equal, all work surfaces, tops and end panels are 1" thick, bookcases have 1" thick top and shelves, edge banding is 2.5 mm thick, full height end and back panels, grommets have a 2 3/4" diameter opening, and one (1) Ruckus task chair or equal, lever-activated height adjustment, 28" 5-blade base, seat and backrest shall be made of 7% fiberglass reinforced polypropylene, Carpet black finish casters; Code compliance: ANSI/BIFMA & TB 117-2013; Ruckus Warranty: 15-year on seating & casters; Aristotle Warranty: Lifetime, 15-year all HPL & LPL laminate material; Manufacturer to be KI or equal, (TAG D-1 & CH-2 on attachment)

Tag #	Quantity	Part Number	Part Description & Modifications (if applicable)
D-1	1	KDA9630.H	Classic Desk Shell, two (2) full end panels, full back panel height with grommet center rear, 29"H x 30"D x 96"W
D-1	1	KDA6030.H	Classic Desk Shell, two (2) full end panels, full back panel height with grommet center rear, 29"H x 30"D x 60"W
D-1	1	KDA6030.H	Classic Desk Shell, two (2) full end panels, full back panel height, no grommet, 29"H x 30"D x 60"W
D-1	1	KOSG24.H	Reception Gallery, clearance above desk is 14"; 15"H x 12"D x 24"W
D-1	1	KOSG96.H	Reception Gallery , clearance above desk is 14"; 15"H x 12"D x 96"W
D-1	1	KOSG60.H	Reception Gallery , clearance above desk is 14"; 15"H x 12"D x 60"W
D-1	2	KQRB2465L	Quarter-Round Bookcase, Left, modified to 44"H x 30"D X 30"W
CH-2	2	RK5100	Task chair, Poly, armless, w/carpet casters

NAME BRAND: \_\_\_\_\_

MODEL NUMBER: \_\_\_\_\_

UNIT PRICE: \_\_\_\_\_ UNIT PRICE: \_\_\_\_\_ UNIT PRICE: \_\_\_\_\_ UNIT PRICE: \_\_\_\_\_

UNIT PRICE: \_\_\_\_\_ UNIT PRICE: \_\_\_\_\_ UNIT PRICE: \_\_\_\_\_ TOTAL PRICE: \_\_\_\_\_

WARRANTY TERMS: \_\_\_\_\_

10. MyPlace curve lounge units or equal, range to consist of four (4) inside back, 45° curve, poly feet, 32" low-back, contrast, base fabric grade E, seat fabric grade E, back fabric grade E, no moisture barrier; and one (1) MyPlace rectangle, backless, poly feet, non-contrasting fabric grade E, no moisture barrier; and three (3) MyPlace 26" round, 2" Poly Feet, Non-Contrast, Fabric Grade E, no moisture barrier; all seats and back frames are constructed of  $\frac{3}{4}$ " laminated hardwood plywood, all main frame joints are nailed and glued in addition to interlocking joinery across all stress points, all units are double-needle stitched at all primary seams, Models MPC145, MPCRV & MPRCT high-density foam is 2.5 density, 45 lb. compression with 2.5" thick seat, topped with .5" of 2.6 density 80 lb. compression foam, backs are 1.5" total thickness consisting of 1" thick 2.5 density – 45 lb. and a .5" topper of 2.6 density – 80 lb. compression foam,  $\frac{3}{4}$ " of 2.6 density, 80 lb. compression foam covers all exposed sides, Model MP26R foam is 2.6 density, 80 lb. compression with 2" thick seat,  $\frac{3}{4}$ "p thick foam covers all exposed sides, poly feet are 2" H, feet are black in color; range to consist of two (2) MyPlace rectangle, backless, poly feet, non-contrasting fabric grade E, no moisture barrier; and one (1) backless, 90° curve, poly feet, non-contrasting fabric grade E, no moisture barrier; and three (3) C-Table Max or equal, dual post, adjustable-height table raises and lowers in 1" locking increments, C-Table Warranty: 15-year; MyPlace Warranty: life-time, 15-year on Foam; Code compliance: BIFMA & TB 117-2013; Manufacturer to be KI or equal, (TAG S-1, S-1B, O-1, S-2, S-2B & T-6 on attachment)



Tag #	Quantity	Part Number	Part Description & Modifications (if applicable)
S-1	4	MPCI45/PFT/FC	32" Low-back, overall dimensions 41.5"W x 26"D x 32"H
S-1B	1	MPRCT/PFT/FC	Rectangle, no moisture barrier, 48"Wx26"Dx18"H
O-1	3	MP26R/PFT/NC	Round, poly feet, no moisture barrier, 26"D x 18"H
S-2	2	MPRCT/PFT/FC	Rectangle, no moisture barrier, 48"Wx26"Dx18"H
S-2B	1	MPCR/V/PFT/FC	90°curve backless, poly feet, 76.5"W x 26"D x 18"H
T-6	3	CMDEB24-73P	Adjustable height, round, dual post, 24" work surface

NAME BRAND: \_\_\_\_\_

MODEL NUMBER: \_\_\_\_\_

UNIT PRICE: \_\_\_\_\_ UNIT PRICE: \_\_\_\_\_ UNIT PRICE: \_\_\_\_\_ UNIT PRICE: \_\_\_\_\_

UNIT PRICE: \_\_\_\_\_ UNIT PRICE: \_\_\_\_\_ TOTAL PRICE: \_\_\_\_\_

WARRANTY TERMS: \_\_\_\_\_

11. Learning area to consist of six (6) Serenade gathering tables or equal, non-contrast laminate, 24"D rectangle, one-sided table constructed of 2" thick, 45lb density particle board core with 1/32" laminate finished top surface, full-height modesty panel constructed of 1" thick, 45lb. density particle board core, one (1) 4-Port Power module with wire management, centered along the length of the tabletop, USB/AC power module houses two (2) AC simplex receptacles, two (2) USB-A ports and two (2) USB-C ports, all circuitry is contained in an extruded aluminum housing and the entire electrical power module assembly is UL listed and UL spill test rating for protection against liquids, modules come with 15' power cord with a three prong grounded plug; and eighteen (18) Doni four-leg, armless café stools or equal, 30" stool, polypropylene, backrest and seat are injection-molded polypropylene, legs to have felt glides, Code compliance: BIFMA & TB 117-2013; Warranty: 15-year on Glides & café stool; Lifetime warranty on Serenade table. Manufacturer to be KI or equal, (TAG T-4 & ST-2 on attachment)

Tag #	Quantity	Part Number	Part Description & Modifications (if applicable)
T-4	6	SEGH2496L/NC	24X96"Wx42"H, no footrest, full modesty panel
ST-2	18	DN4100H30	Four-leg Armless 30" café stool, felt glides

NAME BRAND: \_\_\_\_\_

MODEL NUMBER: \_\_\_\_\_

UNIT PRICE: \_\_\_\_\_ UNIT PRICE: \_\_\_\_\_ TOTAL PRICE: \_\_\_\_\_

WARRANTY TERMS: \_\_\_\_\_

12. Learning Space to consist of fifteen (15) Doni tapered steel leg, solid color, armless guest chair or equal, backrest and seat are injection-molded polypropylene and joined by a pair of articulation mechanisms, steel legs are equipped with felt glides; and six (6) Ruckus, sit/stand adjustable height activity table or equal, 3-leg sprocket table, 29 to 42"H, all corners of surface are rounded, legs adjust with screws in 1" increments, top has a 2 mm bonded edge band for tamper and moisture resistance as a 74P edge, 1¼" thickness with .030" thick high-pressure laminate top surface, Casters and glides are shipped assembled to the legs; Warranty: 15-year on casters, 15-year on all HPL & LPL laminate material on Ruckus tables. Manufacturers to be KI, or equal. (TAG CH-1 & T-2 on attachment)

Tag #	Quantity	Part Number	Part Description & Modifications (if applicable)
CH-1	15	DNY100	Tapered Steel, Armless, solid color, felt glides
T-2	6	RTEFG24-74P	Activity table, casters/felt glides, 24" x 53" x 46"

NAME BRAND: \_\_\_\_\_

MODEL NUMBER: \_\_\_\_\_

UNIT PRICE: \_\_\_\_\_ UNIT PRICE: \_\_\_\_\_ TOTAL PRICE: \_\_\_\_\_

WARRANTY TERMS: \_\_\_\_\_

13. Instruct area to consist of one (1) Ruckus, single post pneumatic adjustable mobile lectern with modesty panel on casters or equal; Lectern is to be on carpet casters, four (4) C-Table Max or equal, dual post, adjustable-height table raises and lowers in 1" locking increments, six (6) MyPlace 32" low-back lounge seating or equal, non-contrast, base fabric grade E, seat fabric grade E, back fabric grade E, no moisture barrier, with poly feet are 2" H, feet are black in color; two (2) 18" Ricochet Stools or equal, compact and lightweight (6lbs.), seating surface pad is constructed of plastic polymer, base underside is constructed of textured, non-slip thermoplastic rubber padding; one (1) Ruckus sit height adjustable round table or equal, top is 1-1/4" thick with 74P bonded edge and high-pressure laminate surface, frame is 1-3/4" O.D. 14-gauge steel tube, 20 to 33" H, adjusts in 1" increments, casters/felt glides; one (1) CZ Magnetic Dry Erase Steel Surface Screen or equal, dual-sided freestanding mobile screen with writable surface, mobile frames are constructed of steel tube supports, includes storage tray and ganging hardware, black casters; one (1) MyPlace curve lounge unit or equal, rectangle, backless, poly feet, non-contrasting fabric grade E, no moisture barrier; three (3) MyPlace curve lounge unit or equal, rectangle, 32" low-back, contrast, 2" poly feet, base fabric grade E, seat fabric grade E, back fabric grade E, no moisture barrier; one (1) MyPlace curve lounge unit or equal, corner left-face with 32" low-back, contrast, 2" poly feet, base fabric grade E, seat fabric grade E, back fabric grade E, no moisture barrier; one (1) MyPlace curve lounge unit or equal, corner right-face with 32" low-back, contrast, 2" poly feet, base fabric grade E, seat fabric grade E, back fabric grade E, no moisture barrier; MyPlace Warranty: life-time, 15-year on Foam; Code compliance: BIFMA & TB 117-2013; C-Table Warranty: 15-year; Code compliance: ANSI/BIFMA, 15-year on casters; 15-year on all HPL & LPL laminate material on Ruckus lectern. Manufacturer to be KI, or equal. (TAG LT-1, T-5, CH-3, ST-1, T-1, WB-1, S-3C, S-3B, S-3L, S-3R on attachment)

Tag #	Quantity	Part Number	Part Description & Modifications (if applicable)
LT-1	1	RUX20E	book storage, adjustable, modesty panel
T-5	4	CMDEB24-73P	Adjustable height, round, dual post, 24" work surface
CH-3	6	MP5S/PFT/NC	32" Low-back, overall dimensions 31-1/4"W x 20"D x 32"H
ST-1	2	RC4100H18	18"H, one color poly, 12"W x 12"D x 18"H
T-1	1	RTEEB42-74P	42" round, sit height adjustable table
WB-1	1	CZMSDS3672	Magnetic dry erase steel screen, 36"w x 72"H x 22-1/2"D
S-3C	1	MPRCT/PFT/FC	Rectangle, no moisture barrier, 48"Wx26"Dx18"H
S-3B	3	MPRB/PFT/FC	32" Low-back, overall dimensions 48"W x 26"D x 32"H
S-3L	1	MPCRN/LF/PFT/FC	32", left-face corner overall dimensions 26"W x 26"D x 32"H
S-3R	1	MPCRN/RF/PFT/FC	32", right-face corner overall dim. 26"W x 26"D x 32"H

NAME BRAND: \_\_\_\_\_

MODEL NUMBER: \_\_\_\_\_

UNIT PRICE: \_\_\_\_\_ UNIT PRICE: \_\_\_\_\_ UNIT PRICE: \_\_\_\_\_ UNIT PRICE: \_\_\_\_\_

UNIT PRICE: \_\_\_\_\_ UNIT PRICE: \_\_\_\_\_ UNIT PRICE: \_\_\_\_\_ UNIT PRICE: \_\_\_\_\_

UNIT PRICE: \_\_\_\_\_ UNIT PRICE: \_\_\_\_\_ TOTAL PRICE: \_\_\_\_\_

WARRANTY TERMS: \_\_\_\_\_

\* \* \* \* \*

BID SUBMITTED BY:

\_\_\_\_\_  
Name of Company

\_\_\_\_\_  
Date of Bid

\_\_\_\_\_  
Mailing Address

\_\_\_\_\_  
Discount (If Applicable)

\_\_\_\_\_  
City, State, Zip Code


\_\_\_\_\_  
Length of Time Prices are Valid

\_\_\_\_\_  
Telephone Number

\_\_\_\_\_  
Typed Name of Representative

\_\_\_\_\_  
Email Address of Representative

\_\_\_\_\_  
Signature of Representative



1. FURNITURE PLAN

LITTLE OAK MIDDLE SCHOOL  
MEDIA CENTER  
59241 REBEL DR.  
SLIDELL, LA 70461

ISSUE / REVISIONS			FURNITURE PLAN	
NO.	DESCRIPTION	DATE	Project Number: 22-172	
01.	PRELIMINARY FURNITURE PLAN	08.12.202	Date: 09.20.2022	
02.	FINAL FURNITURE PLAN	08.12.202	Drawn by: PW Checked by: ME	